



Televes förbehåller sig rätten att ändra produkten

HDMI Splitter 1x4 HD-144E, EDID, HDCP 4Kx2K

HDMI-splitter 4-vägs

Denna HDMI-splitter finns i 2 versioner där denna version även kan skala upp signalen till 4K. 2-vägs HDMI-splitter med en ingång och två utgångar. HD-142-4K fördelar inkommande signal simultant till de två utgångarna.

Ref.768004

Art.Nr	CAHDMI14
EAN13	7321411033177

Huvudegenskaper

Denna HDMI-splitter finns i 2 versioner där denna version även kan skala upp signalen till 4K. 2-vägs HDMI-splitter med en ingång och två utgångar. HD-142-4K fördelar inkommande signal simultant till de två utgångarna. Stöder HD-upplösning: 4Kx2K upp till 3840 x 2160@60 Hz YUV 4:2:0. Stödjer digitala ljudformat, exempelvis High Definition Audio support: Dolby TrueHD, och DTS-HD Master Audio. Har också EDID DIP-switch för 4 olika EDID-lägen.

Operating Temperature Range: -5 to +35°C

Operating Humidity Range: 5 to 90% RH (No Condensation)

Input Video Signal: 0.5-1.0 Volts P-P

Input DDC Signal: 5 volts p-p(TTL)

Data transfer speed rate: 10,2 Gbps(Maximum)

Video Format Supported: DTV/HDTV 4Kx2K: Upp till 3840 x 2160@60 Hz YUV 4:2:0 3D video support

HDMI Output: HDMI 1.4+HDCP 1.1

Support Video Color Format: xv-YCC/deep color 36bit

Support Audio Format: DTS-HD/true-HD/LPCM7.1/AC3/DTS/DSD

Power consumption: 10 watts(Maximum)

Dimension (L×W×H) :1 15x62x25mm

Net Weight: 210g

